



HAL
open science

Process simulation and analysis of carbon capture with an aqueous mixture of ionic liquid and monoethanolamine solvent

Baptiste Zacchello, Eni Oko, Meihong Wang, Fethi Aloui

► **To cite this version:**

Baptiste Zacchello, Eni Oko, Meihong Wang, Fethi Aloui. Process simulation and analysis of carbon capture with an aqueous mixture of ionic liquid and monoethanolamine solvent. *International Journal of Coal Science & Technology*, 2017, 4 (1), pp.25-32. 10.1007/s40789-016-0150-1 . hal-03451934

HAL Id: hal-03451934

<https://hal-uphf.archives-ouvertes.fr/hal-03451934>

Submitted on 14 Apr 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution| 4.0 International License

Process simulation and analysis of carbon capture with an aqueous mixture of ionic liquid and monoethanolamine solvent

Baptiste Zacchello¹ · Eni Oko² · Meihong Wang² · Aloui Fethi¹

Received: 14 August 2016/Revised: 30 September 2016/Accepted: 18 November 2016/Published online: 9 December 2016
© The Author(s) 2016. This article is published with open access at Springerlink.com

Abstract This study investigated the prospect of using aqueous mixture of 1-butylpyridinium tetrafluoroborate ([Bpy][BF₄]) ionic liquid (IL) and monoethanolamine (MEA) as solvent in post-combustion CO₂ capture (PCC) process. This is done by analysis of the process through modelling and simulation. In literature, reported PCC models with a mixture of IL and MEA solvent were developed using equilibrium-based mass transfer approach. In contrast, the model in this study is developed using rate-based mass transfer approach in Aspen Plus[®]. From the results, the mixed aqueous solvent with 5–30 wt% IL and 30 wt% MEA showed 7%–9% and 12%–27% less specific regeneration energy and solvent circulation rate respectively compared to commonly used 30 wt% MEA solvent. It is concluded that the IL concentration (wt%) in the solvent blend have significant impact on specific regeneration energy and solvent circulation rate. This study is a starting point for further research on technical and economic analysis of PCC process with aqueous blend of IL and MEA as solvent.

Keywords Rate-based mass transfer · Process simulation · Post-combustion CO₂ capture · Ionic liquid (IL) · Monoethanolamine (MEA)

List of symbols

C_i	Molar concentration of the components (M)
E	Activation energy (J/kmol)
K_{eq}	Equilibrium constant
K	Pre-exponential factor
R	Reaction rate
R	Molar gas constant (J/mol K)
T	Temperature (K)

1 Introduction

1.1 Background and motivation

Carbon capture and storage (CCS) is considered as an economic and sustainable CO₂ abatement technology option for achieving global CO₂ emission reduction targets by 2050. The technology involves capturing CO₂ from large stationary sources (e.g. fossil fuel-fired power plants and other carbon intensive industries) and transporting them to underground storage sites, namely saline aquifer and depleted oil and gas reserves, where they are either stored permanently and prevented from entering the atmosphere or used for enhanced oil recovery (EOR) purposes (IPCC 2005). Regardless of success with some commercial projects, the technology is still faced with huge development and operating cost especially the carbon capture plant component of the CCS chain which alone is responsible for 75%–80% of the total CCS cost (Davison 2007). This is partly due to 30 wt% monoethanolamine (MEA) used generally in the capture process as solvent.

✉ Meihong Wang
Meihong.Wang@sheffield.ac.uk

¹ Department of Mechanical and Energetics, School of Engineering, ENSIAME, 59313 Valenciennes, France

² Department of Chemical and Biological Engineering, University of Sheffield, Sheffield S1 3JD, UK

The solvent has unacceptable attributes including relatively high specific regeneration energy up to 4.2 GJ/ton CO₂ (Kothandaraman *et al.* 2009), high solvent circulation rate up to 6 times the flue gas flowrate for coal-fired power plant (Lawal *et al.* 2012) among others.

As a result, there is need to explore other solvent options that have better attributes in terms of specific regeneration energy and solvent circulation rate. Ionic liquids (ILs) meet these criteria except that they are expensive and have generally slower kinetics compared to aqueous MEA solvent (Huang *et al.* 2014). However, new solvent formulation obtained by mixing IL and MEA could leverage on the positive attributes of both solvents and result in a more cost-effective and better-performing solvent (Zhang and Rubin 2014).

1.2 Literature review

ILs are classified into conventional room temperature ionic liquid and task specific ionic liquid (TSILs). TSILs are generally more suitable for CO₂ absorption at flue gas conditions. More information on different IL categories is available in Ramdin *et al.* (2012). Shiflett *et al.* (2010) performed model-based comparison of 1-butyl-3-methylimidazolium acetate [BMIM][Ac] TSIL and commonly used 30 wt% MEA solvent using an equilibrium-based PCC model. Their results showed that the IL solvent have 16% less reboiler duty compared to 30 wt% MEA solvent. They further showed that the capital cost and equipment footprint for the process with IL solvent are 11% and 12% lower than with 30 wt% MEA solvent respectively. However, ILs are highly viscous, expensive and have slow reaction kinetics. These factors seriously discredit their application in the treatment of flue gases.

The difficulties are avoided by mixing ILs with other solvents such as water or alkanolamines as shown through experiments (Camper *et al.* 2008; Wappel *et al.* 2010; Yang *et al.* 2014; Zhang and Rubin 2014). Wappel *et al.* (2010) reported improved characteristics with a mixture of IL and water although with still slower reaction kinetics and lower absorption capacity than 30 wt% MEA solution. Zhang and Rubin (2014) further showed that mixed IL and methyl diethanolamine (MDEA) solvent was much better as did Camper *et al.* (2008). Yang *et al.* (2014) also showed that mixed solvent including 40 wt% 1-butyl-3-methylimidazolium tetrafluoroborate [BMIM][BF₄] IL and 30 wt% MEA have 37.2% less regeneration energy than the reference 30 wt% MEA solvent.

Huang *et al.* (2014) performed very detailed comparison of different ILs mixed with MEA and the reference 30 wt% MEA solvent using equilibrium-based mass transfer model of a PCC process. With an aqueous blend of 30 wt%

1-butylpyridinium tetrafluoroborate [Bpy][BF₄] IL and 30 wt% MEA solvent, the heat duty and the capture cost is reduced by 15% and 11% respectively compared to the reference 30 wt% MEA solvent.

In conclusion, firstly, aqueous ILs mixed with alkanolamines have better all-round attribute than either IL only or 30 wt% MEA solvent. Secondly, existing PCC models with IL-based solvents are developed using equilibrium-based mass transfer approach. Rate-based mass transfer approach gives more accurate prediction of the process conditions (Peng *et al.* 2003; Lawal *et al.* 2009). Finally, none of the studies have investigated the implications of varying the IL concentration in the mixed IL and alkanolamine solvent. Most of the papers used at least 30 wt% IL concentration in the mixed solvent formulation and this means the solvents cost will be significantly high judging from predicted industrial-scale prices of IL solvents.

1.3 Aim and novelty

Literature review summarised in Sect. 1.2 strongly suggests that aqueous blend of IL/MEA solvent is a more efficient solvent for PCC processes compared to either ILs only or 30 wt% MEA solvent. In literature, high IL concentrations (30–40 wt%) in the blended solvent are commonly adopted. However, no detailed technical analysis that justifies the selection of this concentration range has been reported. Also, existing models of PCC process using blended aqueous IL and MEA solvent (Shiflett *et al.* 2010; Huang *et al.* 2014) have been derived using equilibrium-based mass transfer approach. Generally, equilibrium-based PCC models are less accurate compared to their rate-based counterparts (Lawal *et al.* 2009).

This study is aimed at filling this knowledge gap by performing a technical analysis of a PCC process using aqueous blend of IL and MEA solvent through process simulations. The process simulations is carried out using a rate-based model of the process developed with Aspen Plus[®] and based on a benchmark model obtained from existing publication (Huang *et al.* 2014).

2 Process description

In the process (Fig. 1), flue gas coming from a power plant or other industrial processes is cooled down to about 40 °C before entering the absorber. In the absorber, CO₂ in the flue gas is removed through reactions with the solvent. The scrubbed gas is then water washed to recover some of the solvents in the gas phase at the top of the column before they are released into the atmosphere.

The rich solvent leaving the absorber is heated to about 80 °C in a cross heat exchanger by hot lean solvent, before it enters the stripper. In the stripper, the rich solvent is regenerated by heating it further to about 120 °C at a pressure of about 1.8 atm. The stripper overhead stream (up to 99 wt% CO₂) is compressed and transported through pipeline to sequestration sites while the lean solvent from the stripper bottom is pumped back to the absorber.

3 Model development

3.1 Model benchmark

The model by Huang *et al.* (2014) was used as benchmark for this study. The model was selected because it is the only reported model involving IL-MEA solution as solvent for a PCC process. The model was simulated in Aspen Plus[®] using RADFRAC equilibrium stage model. Huang *et al.* (2014) also provided detailed thermodynamic and physical properties of the selected IL and process conditions making it possible for the model to be duplicated.

The flue gas specification (Table 1) is based on the outlet of coke oven combustion chambers at Shanxi Coke Plant in China (Huang *et al.* 2014). They are assumed to have been desulphurized. The ionic liquid used is 1-butylpyridinium tetrafluoroborate ([Bpy][BF₄]). This is because it has more potential for large-scale utility, thanks to its lower cost, toxicity and environmental impact. Other process conditions are given in Tables 1 and 2 (Huang *et al.* 2014).

3.2 Thermo-physical properties

The phase equilibrium, chemical equilibrium and reaction enthalpy of the MEA–H₂O–CO₂–IL system was modelled using electrolyte non-random-two-liquid (eNRTL)




Fig. 1 Schematic diagram of PCC process (Lawal *et al.* 2010)

Table 1 Input flue gas and lean solvent condition (Huang *et al.* 2014)

Item	Flue gas	Lean solvent
Temperature (°C)	35	40
Mole flow (kmol/h)	20,114.09	28,762.98
Mass flow (kg/h)	580,960	1,103,880
Pressure (bar)	1.1	1.0
Mass frac (%)		
MEA	0	30
C ₉ H ₁₄ ⁻¹	0	30
H ₂ O	13.62	40
CO ₂	10.34	0
N ₂	71.73	0
O ₂	4.32	0

thermodynamic model available in Aspen Plus[®]. The thermodynamic model is commonly adopted in modelling MEA scrubbing processes in literature (Lawal *et al.* 2009, 2010). The default eNRTL parameters and physical property correlations in Aspen plus[®] for MEA which have been shown to be accurate in published studies such as Lawal *et al.* (2009), (2010) were used for estimating the thermo-physical properties of MEA. On the other hand, new parameters obtained from Huang *et al.* (2014) were used to estimate the thermo-physical properties of the IL (i.e. [Bpy][BF₄]).

3.3 Reaction chemistry

The reaction model is comprised of both equilibrium and rate-controlled reactions (Canepa *et al.* 2012).


Table 2 Other process conditions (Huang *et al.* 2014)

Item	Unit	Value
Absorber		
Pressure of the column bottom	Bar	1.1
Pressure drop	Bar	0.1
Gas inlet temperature	°C	35
Liquid inlet temperature	°C	40
Stage number		14
Murphree efficiency	%	25
Stripper		
Pressure of the column bottom	Bar	1.8
Pressure drop	Bar	0.1
Stage number		14
Molar reflux ratio		0.5
Murphree efficiency	%	25
Rich solvent pump		
Outlet pressure	Bar	2
Efficiency	%	75

The equilibrium reactions are defined as:



On the other hand, the rate-controlled reactions are defined as:



The equilibrium constant K_{eq} for R1–R3 is estimated as follows:

$$\ln(K_{\text{eq}}) = A + \frac{B}{T} + C \cdot \ln(T) + D \cdot T \quad (1)$$

The reaction rate for the rate-controlled Reactions R4–R7 is determined using the power law expression as follows:

$$r = k \exp\left(-\frac{E}{RT}\right) \prod_{i=1}^N C_i \quad (2)$$

The values of the parameters in Eq. (1) (i.e. A , B , C and D) and Eq. (2) (i.e. k and E) are given in Table 3.

3.4 Model comparison

There are currently no data for PCC processes using blended aqueous IL and MEA solvent in literature. In this study, Huang *et al.* (2014) equilibrium-based model was used as benchmark. The model was duplicated and then compared to the original model in Huang *et al.* (2014). The topology of the duplicate model in Aspen Plus[®] is shown in Fig. 2. Comparison of results of the duplicate model and the original model (Huang *et al.* 2014) is shown in Tables 4 and 5. The results show good agreement indicating accurate representation of the Huang *et al.* (2014) model.

4 Improvement of the model

4.1 Rate-based versus equilibrium-based model

Huang *et al.* (2014) model duplicated above is an equilibrium-based model developed using RadFrac equilibrium model in Aspen Plus[®]. In this model, theoretical stages are assumed in which the liquid and vapor phases attain equilibrium characterized by infinitely fast mass transport.

Table 3 Parameters for Eqs. 1 and 2 (Canepa *et al.* 2012)

Reactions	A	B	C	D
R1	132.889	-13445.9	-22.4773	0
R2	216.05	-12431.7	-35.4819	0
R3	-3.03833	-7008.36	0	-0.0031349
Reactions	k	E (J/Kmol)		
R4	4.32E+13	5.55E+07		
R5	2.38E+17	1.23E+08		
R6	9.77E+10	4.13E+07		
R7	3.23E+19	6.55E+07		

Efficiency correlation factors are used to adjust the performance of each stage. In practice, equilibrium is rarely attainable. On the other hand, in rate-based model, actual rate of mass and heat transfer are taken into account. The mass transfer is typically modelled using two film theory.

Peng *et al.* (2003) and Lawal *et al.* (2009) among others have compared equilibrium-based and rate-based models of reactive columns. Their results showed that rate-based models of reactive columns give more accurate prediction of the process conditions than their equilibrium-based counterparts. It is therefore concluded that rate-based approach is more suitable for modelling reactive columns. As a result, the Huang *et al.* (2014) model duplicated in this study is upgraded using rate-based approach so that the model can potentially become more robust and accurate.

4.2 Description of the rate-based model

The packing parameters for the absorber and stripper is given in Table 6. Heat and mass transfer correlations given in Table 7. The columns were sized using generalized pressure drop correlation (Lawal *et al.* 2012) alongside data from Huang *et al.* (2014). For the absorber, estimated column diameter was 13.78 m. To confirm that order of magnitude, Aspen estimation was run using the packing sizing method. A diameter of 13.92 m was found which validates the manual estimation. The two methods, manual and Aspen calculation, gives a rough estimate of the column diameter due to some inevitable approximations made during the calculations and are subject to some significant level of uncertainty. As a result, different column diameters around the estimated value were tried. It was found that about 10.5 m diameter was a good compromise between the target 90% capture level and minimum column diameter requirement. A column height of 20 m was chosen for the absorber using the method described in Lawal *et al.*




Fig. 2 Model topology of the process in Aspen Plus®

Table 4 Absorber streams results

Item	Fluegas			Leanin			Richout			Gasout		
	This work	Huang <i>et al.</i>	Rel. error (%)	This work	Huang <i>et al.</i>	Rel. error (%)	This work	Huang <i>et al.</i>	Rel. error (%)	This work	Huang <i>et al.</i>	Rel. error (%)
Temperature (°C)	35	35	0	40	40	0	48.3	50	3.4	34.9	35	0.286
Mass flow (kg/h)	580,960	580,960	0	1,038,150	1,103,880	5.954	1,105,380	1,132,710	2.413	540,940.53	520,730	3.881
Loading (mol/mol)				0.217	0.2	8.524	0.538	0.550	2.152			

Table 5 Stripper streams results

Item	Richin			Leanout			CO ₂ out		
	This work	Huang <i>et al.</i>	Rel. error (%)	This work	Huang <i>et al.</i>	Rel. error (%)	This work	Huang <i>et al.</i>	Rel. error (%)
Temperature (°C)	107	107	0	124.6	127	1.890	30	30	0
Mass flow (kg/h)	1,105,380	1,132,710	2.413	1,038,020	1,071,520	3.126	67,359.822	67,340	0.0294
Loading (mol/mol)	0.535	0.550	2.649	0.21	0.2	5.000			

(2012). The same methods have been used to determine the Stripper’s diameter. After several trial, it is found that a diameter of 9.5 m allows good rate of CO₂ in the stripper overhead stream and a good loading of the regenerated solvent.

5 Process analysis

By comparing the rated-based model of the PCC process using aqueous mixture of IL and MEA solvent and the reference 30 wt% MEA solvent, it appears that, as Huang

Table 6 Packing characteristics

Type	Vendor	Material	Dimension
Absorber packings			
IMTP	KOCH	Metal	0.625-IN (16-MM)
Stripper packings			
FLEXIPAC	KOCH	Metal	1Y

et al. (2014) has showed with equilibrium-based models that IL reduces solvent circulation rate and the energy needed for solvent regeneration. ILs are generally expensive; the prices (lab scale) are over US\$1000/kg although BASF predicts that the industrial scale price could drop to <US\$40/kg (Ramdin *et al.* 2012). Ramdin *et al.* (2012) predicted that the cost of IL would still be a factor of 10–20 higher than MEA even at a price level of <US\$40/kg. As a result, Huang *et al.* (2014) blended IL and MEA solvent formulation involving 30 wt% IL will lead to huge increase in total solvent cost compared to the reference 30 wt% MEA solvent. Consequently, a case study is necessary to explore possibilities of using lower IL concentration in the solvent formulation. In this study, two case studies were developed by varying the concentration of IL in the solvent starting from 0 to 30 wt% in a step of 5 and the impact on reboiler duty and solvent circulation rate studied. The case study was performed using the rate-based model of the PCC process.

5.1 Setup of the case studies

The setup is applicable to the case studies described in Sects. 5.2 and 5.3. In the case studies, the process was simulated using different aqueous solutions of the solvent as follows:

- 1 30 wt% MEA and 0 wt% IL (i.e. base case).
- 2 30 wt% MEA and 5 wt% IL.
- 3 30 wt% MEA and 10 wt% IL.
- 4 30 wt% MEA and 15 wt% IL.
- 5 30 wt% MEA and 20 wt% IL.
- 6 30 wt% MEA and 25 wt% IL.
- 7 30 wt% MEA and 30 wt% IL.

The input conditions given in Tables 2 and 3, packing characteristics given in Table 6 and the column dimensions estimated in Sect. 4.2 were used in all the cases. The capture level was also fixed at 90% for all the cases.

Table 7 Selected correlations

Item	Absorber	Stripper
Mass transfer and interfacial area correlation	Onda <i>et al.</i> (1968)	Stichlmair <i>et al.</i> (1989)
Holdup correlation	Bravo <i>et al.</i> (1985)	Bravo <i>et al.</i> (1992)
Heat transfer correlation	Chilton and Colburn	Chilton and Colburn

5.2 Impact of IL (wt%) on solvent circulation rate

5.2.1 Justification of the case study

Solvent circulation rate in PCC processes have significant impact on equipment sizes, specific regeneration energy and overall process economics. In this study, the solvent circulation rate is expressed in terms of liquid–gas ratio (L/G ratio); gas flowrate remains the same for all the scenario and as such changes in L/G ratio is directly proportional to the solvent circulation rate. In this case study, the impact of IL concentration in the mixed solvent on the L/G ratio is evaluated. The analysis provides insight on the impacts of operating with different IL concentration on L/G ratio. In addition, it provides a useful guide for selecting appropriate IL concentration for the mixed solvent.

5.2.2 Results and discussions

The result shows reduction in L/G ratio (mol/mol) as IL concentration in the solvent increases (Fig. 3). With 5 wt% IL concentration in the mixed solvent, the L/G ratio reduced by about 11.6%; further increase up to 30 wt% IL concentration achieved about 26.8% reduction in the L/G ratio. The reduction is because the loading capacity of the solvent increases with the addition of IL and as such less solvent circulation is required to achieve the target 90% capture level. Comparing the reductions in L/G ratio achievable at different IL concentrations, it is reckoned that 5 wt% IL concentration is a good compromise considering expected higher cost of IL and reductions in L/G ratio achievable at higher IL concentration. On this basis, it is predicted that 30 wt% IL concentration in the mixed solvent proposed by Huang *et al.* (2014) may not be economically realistic.

5.3 Impact of IL (wt%) on specific regeneration energy

5.3.1 Justification of the case study

Specific regeneration energy is the energy (reboiler duty) for regenerating loaded solvent per tonne of CO₂ stripped from the solvent. It is a common metric for assessing the performance of different PCC processes and the main




Fig. 3 L/G ratio vs. IL wt%

contributor to overall electricity output penalty for PCC plants added to a fossil fuel-fired power plant (Lucquiaud and Gibbins 2011). It is affected by packing type, CO₂ concentration in flue gas, capture level and solvent type (Kothandaraman *et al.* 2009). Insights from analysis of the impact of different solvent mixtures with varying concentrations of IL on the specific regeneration energy will provide a useful benchmark for comparing the performance of mixed IL ([Bpy][BF₄]) and MEA solvent with other solvents. In addition, the result will be an important input for determining the appropriate IL ([Bpy][BF₄]) concentration in the mixed IL and MEA solvent.

5.3.2 Results and discussions

The result (Fig. 4) shows that the specific regeneration energy is generally lower for the mixed IL and MEA solvent compared to the base case (i.e. 30 wt% MEA and 0 wt% IL). The specific regeneration energy reduction is attributed to the following factors (Huang *et al.* 2014):

- 1 Lower heat capacity of IL-MEA hybrid solvent compared to the reference 30 wt% MEA solution.
- 2 Lower solvent flow rate of the IL-MEA hybrid solvent cases compared to the 30 wt% MEA solution case (Sect. 5.2).
- 3 Lower heat of vaporization due to lower amount of water.

Also, it is observed that the specific regeneration energy drops significantly with about 5 wt% IL compared to the base case (i.e. 30 wt% MEA and 0 wt% IL). Further increments in IL wt%, up to 25 wt%, showed very minimal changes in the specific regeneration energy; more noticeable reduction is observed beyond this point. Again, 5 wt% IL appears a good compromise; reductions in specific regeneration energy at higher IL wt% may not be commensurate with the accompanying increase in process economics.




Fig. 4 Specific regeneration energy vs. IL wt%

6 Conclusions and recommendations for future research

This study assessed the performance of using a mixed aqueous IL ([Bpy][BF₄]) and MEA solvent for CO₂ capture in PCC process with the reference 30 wt% MEA solvent as base case. Six (6) compositions of the mixed solvent with varying concentrations of IL and MEA concentration fixed at 30 wt% for all cases were evaluated through process simulations. The highest IL concentration, 30 wt%, showed highest reductions in specific regeneration energy and solvent circulation rate. However, IL is a lot more expensive than MEA. As a result, with 30 wt% IL concentration, the total solvent cost maybe be substantially higher than the base case.

From comparing other compositions, it is found that using 5 wt% IL which reduces the specific regeneration energy and solvent circulation rate by about 7% and 11.5% respectively appears economically competitive with the base case. Therefore, it is recommended that for the IL used in this study (i.e. [Bpy][BF₄]), the concentration should be about 5 wt% in the solvent formulation of a mixture of the IL with MEA. Total solvent cost when using higher concentration of the IL may negate the advantages of the IL.

It is recommended that further technical and economic analysis be performed on this process to investigate other conditions that could contribute to the process economics, namely solvent make-up rate, pumping requirements, steam consumption, cooling duty requirements among others. Finally, detailed model validation should be carried out to ensure the model represents the process accurately.

Acknowledgements The authors from University of Hull acknowledge financial support from EU FP7 (Reference: PIRSES-GA-2013-612230).

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use,

distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

- Camper D, Bara J, Gin DL, Noble R (2008) Room-temperature ionic liquid-amine solutions: tunable solvents for efficient and reversible capture of CO₂. *Ind Eng Chem Res* 47:8496–8498
- Canepa R, Wang M, Biliyok C, Satta A (2012) Thermodynamic analysis of combined cycle gas turbine power plant with post-combustion CO₂ capture and exhaust gas recirculation. *J Process Mech Eng* 227(2):89–105
- Davison J (2007) Performance and costs of power plants with capture and storage of CO₂. *Energy* 32:1163–1176
- Huang Y, Zhang X, Zhang X, Dong H, Zhang S (2014) Thermodynamic modelling and assessment of ionic liquid-based CO₂ capture processes. *Ind Eng Chem Res* 53:11805–11817
- Bravo JL, Rocha JA, Fair JR (1985) Mass transfer in Gauze Packings. *Hydrocarb Process* 64:91–95
- Bravo JL, Rocha JA, Fair JR (1992) A Comprehensive model in the performance of columns containing structured packings, distillation and absorption, Institution of Chemical Engineers Symposium Series 128. *Inst Chem Eng* 1:PA48–A507
- Inter-gouvernemental Panel on Climate Change (IPCC) (2005) IPCC special report on carbon dioxide capture and storage. Cambridge University Press, Cambridge
- Kothandaraman A, Nord L, Bolland O, Herzog HJ, McRae GJ (2009) Comparison of solvents for post-combustion capture of CO₂ by chemical absorption. *Energy Procedia* 1:1373–1380
- Lawal A, Wang M, Stephenson P, Yeung H (2009) Dynamic modelling of CO₂ absorption for post-combustion capture in coal-fired power plants. *Fuel* 88(12):2455–2462
- Lawal A, Wang M, Stephenson P, Koumpouras G, Yeung H (2010) Dynamic modelling and analysis of post-combustion CO₂ chemical absorption process for coal-fired power plants. *Fuel* 89(10):2791–2801
- Lawal A, Wang M, Stephenson P, Obi O (2012) Demonstrating full-scale post-combustion CO₂ capture for coal-fired power plants through dynamic modelling and simulation. *Fuel* 101:115–128
- Lucquiaud M, Gibbins J (2011) On the integration of CO₂ capture with coal-fired power plants: a methodology to assess and optimise solvent-based post-combustion capture systems. *Chem Eng Res Des* 89:1553–1571
- Onda K, Takeuchi H, Okumoto Y (1968) Mass transfer coefficients between gas and liquid phases in packed columns. *J Chem Eng Jpn* 1:56–62
- Peng J, Edgar TF, Eldridge RB (2003) Dynamic rate-based and equilibrium models for a packed reactive distillation column. *Chem Eng Sci* 58:2671–2680
- Ramdin M, de Loos TW, Vlugt TJH (2012) State-of-the-art of CO₂ capture with ionic liquids. *Ind Eng Chem Res* 51:8149–8177
- Shiflett MB, Drew DW, Cantini RA, Yokozeki A (2010) Carbon dioxide capture using ionic liquid 1-butyl-3-methylimidazolium acetate. *Energy Fuels* 24:5781–5789
- Stichlmair J, Bravo JL, Fair JR (1989) General model for prediction of pressure drop and capacity of countercurrent gas/liquid packed columns. *Gas Sep Purif* 3:19
- Wappel D, Gronald G, Kalb R, Draxler J (2010) Ionic liquids for post-combustion CO₂ absorption. *Int J Greenh Gas Control* 4(3):486–494
- Yang J, Yu X, Yan J, Tu ST (2014) CO₂ capture using amine solution mixed with ionic liquid. *Ind Eng Chem Res* 53:2790–2799
- Zhang H, Rubin ES (2014) Systems analysis of ionic liquids for post-combustion CO₂ capture at coal-fired power plants. *Energy Procedia* 63:1321–1328